

PLUS Search Results for S/N 10619233, Searched July 27, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

4936134	5590453
5490312	5675887
4293258	5655289
5323946	5946784
5046348	3596496
5605070	3657915
4368838	3646800
5375953	3906776
5473806	3886783
4261245	3842649
4359813	3831424
4612793	4045994
4307598	4059981
4425782	4136547
4877363	4150467
4919577	4065952
5259713	4067223
6691546	4088004
5620287	4351179
4630460	4388753
4913609	4447944
5403135	4517820
4920833	4541761
4140000	4585382
4321814	4598571
5009556	4754643
5473805	4836003
5603151	4872332
6163945	4972985
6684470	5337463
5400942	5519927
6115900	5531551
4592136	5581867
4127345	5600878
4356719	5661887
4432679	5666710
4440336	5960667
4487096	6032510
4629380	6125680
4836008	6183179
5323521	6240613
5658107	6256854
6079604	6347449
5804012	6751841
4628722	6877204
5496140	6905295
4586363	4368631
4836728	4441560
4888974	4253521
5184497	5048612

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10619233 on July 27, 2005

- 14 29/243.521 (8 OR, 6 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 .Overedge assembling means
 29/243.517 ..Annular work
 29/243.519 ...With second workpiece inside annular work
 one workpiece moved to shape the other
 29/243.521Comprising driver for snap-off-mandrel
 fastener; e.g., Pop (TM) riveter
- 13 411/34 (7 OR, 6 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
 TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/34 .Bulged by axially contracting ends
- 12 29/243.525 (7 OR, 5 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 .Overedge assembling means
 29/243.517 ..Annular work
 29/243.519 ...With second workpiece inside annular work
 one workpiece moved to shape the other
 29/243.521Comprising driver for snap-off-mandrel
 fastener; e.g., Pop (TM) riveter
 29/243.523Pneumatic- or fluid-actuated tool
 29/243.524Liquid
 29/243.525And gas
- 12 29/243.53 (1 OR, 11 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 .Overedge assembling means
 29/243.53 ..Riveter
- 12 411/43 (9 OR, 3 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
 TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/39 .Frangible member
 411/43 ..Frangible mandrel
- 11 29/243.523 (6 OR, 5 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 .Overedge assembling means
 29/243.517 ..Annular work
 29/243.519 ...With second workpiece inside annular work
 one workpiece moved to shape the other
 29/243.521Comprising driver for snap-off-mandrel
 fastener; e.g., Pop (TM) riveter
 29/243.523Pneumatic- or fluid-actuated tool
- 10 29/812.5 (7 OR, 3 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/809 .With magazine supply
 29/811.2 ..Assembling means comprising
 hand-manipulatable implement

- 29/812.5 ...Comprising driver for snap-off-mandrel fastener; e.g., Pop (TM) riveter
- 10 72/453.17 (0 OR, 10 XR)
 Class 072 : METAL DEFORMING
 72/429 WITH MEANS TO DRIVE TOOL
 72/453.01 .Including pneumatic- or fluid-actuated tool support
 72/453.15 ..Randomly manipulated or work-supported tool
 72/453.16 ...With handle for manual manipulation
 72/453.17Riveting tool
- 9 72/114 (2 OR, 7 XR)
 Class 072 : METAL DEFORMING
 72/67 BY USE OF TOOL ACTING DURING RELATIVE ROTATION BETWEEN TOOL AND WORK ABOUT INTERNAL CENTER (E.G.,
 GYRATING OR ROTATING TOOL)
 72/112 .Tool orbiting or rotating about an axis
 72/114 ..Helically-grooved tool threadedly engaging work
- 8 29/525.06 (1 OR, 7 XR)
 Class 029 : METAL WORKING
 29/592 METHOD OF MECHANICAL MANUFACTURE
 29/428 .Assembling or joining
 29/525.01 ..By applying separate fastener
 29/525.05 ...Fastener deformed after application
 29/525.06Riveting
- 7 72/391.4 (4 OR, 3 XR)
 Class 072 : METAL DEFORMING
 72/380 BY RELATIVELY MOVABLE OFFSET TOOL-FACES (E.G., FOR BENDING OR DRAWING)
 72/386 .With tool motion in fixed path
 72/391.2 ..Concentric or telescoped tools
 72/391.4 ...Tool inside hollow fastener
- 7 72/391.6 (4 OR, 3 XR)
 Class 072 : METAL DEFORMING
 72/380 BY RELATIVELY MOVABLE OFFSET TOOL-FACES (E.G., FOR BENDING OR DRAWING)
 72/386 .With tool motion in fixed path
 72/391.2 ..Concentric or telescoped tools
 72/391.4 ...Tool inside hollow fastener
 72/391.6With fastener loader or supply
- 7 72/391.8 (2 OR, 5 XR)
 Class 072 : METAL DEFORMING
 72/380 BY RELATIVELY MOVABLE OFFSET TOOL-FACES (E.G., FOR BENDING OR DRAWING)
 72/386 .With tool motion in fixed path
 72/391.2 ..Concentric or telescoped tools
 72/391.4 ...Tool inside hollow fastener
 72/391.8Helically ribbed tool
- 7 411/70 (1 OR, 6 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/44 .Including sleeve and distinct tapered expander (e.g., anchor bolt type)

- 411/70 ..Expander having integral pull stem
- 6 29/512 (2 OR, 4 XR)
 Class 029 : METAL WORKING
 29/592 METHOD OF MECHANICAL MANUFACTURE
 29/428 .Assembling or joining
 29/505 ..Joining by deforming
 29/509 ...Overedge assembling of seated part
 29/512 By flaring inserted cup or tube end
- 6 227/112 (2 OR, 4 XR)
 Class 227 : ELONGATED-MEMBER-DRIVING APPARATUS
 227/107 WITH MEANS TO MOVE OR GUIDE MEMBER INTO DRIVING
 POSITION
 227/112 .Fluid-contact member-feed means
- 5 227/2 (2 OR, 3 XR)
 Class 227 : ELONGATED-MEMBER-DRIVING APPARATUS
 227/2 WITH CONTROL MEANS RESPONSIVE TO SENSED
 CONDITION
- 4 29/243.527 (3 OR, 1 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 ..Overedge assembling means
 29/243.517 ..Annular work
 29/243.519 ...With second workpiece inside annular work
 one workpiece moved to shape the other
 29/243.521 Comprising driver for snap-off-mandrel
 fastener; e.g., Pop (TM) riveter
 29/243.527 Having allochiral actuating handles
- 4 29/243.528 (4 OR, 0 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 ..Overedge assembling means
 29/243.517 ..Annular work
 29/243.519 ...With second workpiece inside annular work
 one workpiece moved to shape the other
 29/243.521 Comprising driver for snap-off-mandrel
 fastener; e.g., Pop (TM) riveter
 29/243.528 Having repositionable annulus engaging
 tool
- 4 29/524.1 (1 OR, 3 XR)
 Class 029 : METAL WORKING
 29/592 METHOD OF MECHANICAL MANUFACTURE
 29/428 .Assembling or joining
 29/505 ..Joining by deforming
 29/522.1 ...Radially expanding part in cavity, aperture,
 or hollow body
 29/524.1 Riveting
- 4 D8/51 (0 OR, 4 XR)
 Class D08 : TOOLS AND HARDWARE
 D8/14 OTHER TOOLS AND IMPLEMENTS
 D8/51 .With relative movement of parts while
 performing function
- 4 411/501 (0 OR, 4 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
 TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/500 HEADED FASTENER ELEMENT

- 411/501 .Having plastically flowable or deflectable end, e.g., rivet, etc.
- 3 29/243.526 (1 OR, 2 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/243.5 .Overedge assembling means
 29/243.517 ..Annular work
 29/243.519 ...With second workpiece inside annular work
 one workpiece moved to shape the other
 29/243.521Comprising driver for snap-off-mandrel
 fastener; e.g., Pop (TM) riveter
 29/243.526Having rotary drive mechanism
- 3 29/509 (0 OR, 3 XR)
 Class 029 : METAL WORKING
 29/592 METHOD OF MECHANICAL MANUFACTURE
 29/428 .Assembling or joining
 29/505 ..Joining by deforming
 29/509 ...Overedge assembling of seated part
- 3 29/715 (0 OR, 3 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/709 .With control means energized in response to
 activator stimulated by condition sensor
 29/714 ..Responsive to work or work-related machine
 element
 29/715 ...With means to fasten by deformation
- 3 29/720 (0 OR, 3 XR)
 Class 029 : METAL WORKING
 29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
 29/720 .With signal, scale, illuminator, or optical
 viewer
- 3 411/29 (1 OR, 2 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
 TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/29 .With hole forming means
- 3 411/55 (0 OR, 3 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
 TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/44 .Including sleeve and distinct tapered expander
 (e.g., anchor bolt type)
 411/55 ..Expander threadedly engaged by mover
- 3 470/29 (0 OR, 3 XR)
 Class 470 : THREADED, HEADED FASTENER, OR WASHER MAKING:
 PROCESS AND APPARATUS
 470/1 PROCESS
 470/27 .Making headed fastener, e.g., rivet or nail,
 etc.
 470/28 ..Rivet type
 470/29 ...Hollow type
- 2 29/407.05 (1 OR, 1 XR)
 Class 029 : METAL WORKING
 29/592 METHOD OF MECHANICAL MANUFACTURE
 29/407.01 .With testing or indicating

29/407.05 ..Quantitative measuring or gauging

2 29/446 (0 OR, 2 XR)

Class 029 : METAL WORKING
29/592 METHOD OF MECHANICAL MANUFACTURE
29/428 .Assembling or joining
29/446 ..With prestressing of part

2 29/469.5 (1 OR, 1 XR)

Class 029 : METAL WORKING
29/592 METHOD OF MECHANICAL MANUFACTURE
29/428 .Assembling or joining
29/469.5 ..Metal deforming with nonmetallic bonding

2 29/523 (0 OR, 2 XR)

Class 029 : METAL WORKING
29/592 METHOD OF MECHANICAL MANUFACTURE
29/428 .Assembling or joining
29/505 ..Joining by deforming
29/522.1 ...Radially expanding part in cavity, aperture,
or hollow body
29/523Radially expanding internal tube

2 29/703 (1 OR, 1 XR)

Class 029 : METAL WORKING
29/700 MEANS TO ASSEMBLE OR DISASSEMBLE
29/701 .With means to regulate operation by use of
templet, tape, card or other replaceable information

supply

29/702 ..With comparator
29/703 ...Computer input

2 72/21.1 (0 OR, 2 XR)

Class 072 : METAL DEFORMING
72/6.1 WITH USE OF CONTROL MEANS ENERGIZED IN RESPONSE
TO ACTIVATOR STIMULATED BY CONDITION SENSOR
72/20.1 .Sensing tool or tool-linked part
72/21.1 ..Including plural sensors or sensor responsive
to plural conditions

2 72/370.1 (0 OR, 2 XR)

Class 072 : METAL DEFORMING
72/362 PROCESS
72/367.1 .Tube making or reshaping
72/370.1 ..End forming

2 72/453.19 (0 OR, 2 XR)

Class 072 : METAL DEFORMING
72/429 WITH MEANS TO DRIVE TOOL
72/453.01 .Including pneumatic- or fluid-actuated tool
support
72/453.18 ..Having hydraulic or pneumatic return
72/453.19 ...Riveting tool

2 166/237 (0 OR, 2 XR)

Class 166 : WELLS
166/237 DETENTS OR CLUTCHES

2 166/382 (2 OR, 0 XR)

Class 166 : WELLS
166/244.1 PROCESSES
166/381 .Placing or shifting well part

- 166/382 ..Providing support for well part (e.g., hanger or anchor)
- 2 219/98 (0 OR, 2 XR)
 Class 219 : ELECTRIC HEATING
 219/50 METAL HEATING (E.G., RESISTANCE HEATING)
 219/78.01 .For bonding with pressure (e.g., resistance welding)
 219/97 ..Flash
 219/98 ...Stud
- 2 219/99 (0 OR, 2 XR)
 Class 219 : ELECTRIC HEATING
 219/50 METAL HEATING (E.G., RESISTANCE HEATING)
 219/78.01 .For bonding with pressure (e.g., resistance welding)
 219/97 ..Flash
 219/98 ...Stud
 219/99Methods
- 2 227/116 (0 OR, 2 XR)
 Class 227 : ELONGATED-MEMBER-DRIVING APPARATUS
 227/107 WITH MEANS TO MOVE OR GUIDE MEMBER INTO DRIVING POSITION
 227/114 .Including means other than the driver to separate leading member from a supply
 227/116 ..Rectilinear motion
- 2 411/15 (1 OR, 1 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
- 2 411/183 (0 OR, 2 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/81 THREADED FASTENER LOCKED TO A DISCREET STRUCTURE (E.G., PLATE, RAIL, WHEEL)
 411/172 .Nut, and means to engage substructure on its opposite faces for retaining nut at aperture therein, formed as unitary component
 411/176 ..Fastener having a deformable portion or deforms substructure (e.g., prong)
 411/183 ...Nut assembled to substructure by plastically deformable region on nut
- 2 411/42 (0 OR, 2 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/39 .Frangible member
 411/42 ..Sleeve including weakened portion
- 2 411/69 (0 OR, 2 XR)
 Class 411 : EXPANDED, THREADED, DRIVEN, HEADED, TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
 411/15 HAVING SEPARATE EXPANDER MEANS
 411/44 .Including sleeve and distinct tapered expander (e.g., anchor bolt type)
 411/69 ..Expander or sleeve extruded during expansion
- 2 411/82 (0 OR, 2 XR)

10619233_CLSTITLES.txt
Class 411 : EXPANDED, THREADED, DRIVEN, HEADED,
411/82 TOOL-DEFORMED, OR LOCKED-THREADED FASTENER
INCLUDING SETTABLE MATERIAL

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	8296	(thin film layer coating) near2 ((force stress strain pressure compression) near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 10:05
L11	238	1 near3 (fastener rivet blind scREW nut)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 09:58
L12	2	10 near3 (fastener rivet blind scREW nut)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 09:58
L13	641	10 and (fastener rivet blind scREW nut)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 09:59
L14	10	10 near7 (fastener rivet blind scREW nut)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 10:03
L15	1220	blind near3 (fasten\$5 rivet tool screw nut bolt).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 10:05
L16	1	15 and ((piezo\$6) near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identi\$6 evaluat\$5 estimat\$5 transducer gauge cell monitor\$4 comput\$5 inspect\$5 meter calculat\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/07/27 10:06